


ANESTHESIA PRODUCTS



RD AERIES 500

ANESTHESIA WORKSTATION



VENTILATOR



VAPORIZER

AERIES 500 is a High End Anesthesia Workstation that has an In-built Electrically Operated Ventilator.

ANAESTHESIA VENTILATOR

7" Touch Screen Display

Modes: CMV/VC, CMV/PC, ACV/VC, ACV/PC, SIMV/VC, SIMV/PC, MANUAL

Tidal Volume: 20-1500

Frequency: 1-60 bpm

IE Ratio: 1:9 – 4:1 PIP: 0-60 cm H₂O

ALARM: High Pressure, Low Pressure, Patient Disconnect, VT High/Low, fio₂ failure/fio₂ low and Source Failure

POWER SUPPLY: AC 220V

BATTERY BACKUP: Up to 3 hours

MAIN UNIT

MODE: Semi-open, Semi-closed or Closed System

FLOWMETER: 5 Tube Rotameter 2 Oxygen, 2 Nitrous and 1 Air

Changeover: Nitrous and Air

O₂ Flush: 35-75L/min

Alarm: Oxygen Failure Alarm (Audible and Visual)

Safety Valve: Protects Reverse Flow From Patient Circuit towards Vaporizer

Cylinder Attachment: 2 Oxygen and 2 Nitrous

PIPELINE ATTACHMENT: 2 Oxygen, 1 Nitrous and 1 Air

STRUCTURE

Rust Proof Fibre body

2 Drawers with Smooth Sliding Channels

Antistatic large Castor Wheels, Front wheels with Brakes

Space for Mounting Two Vaporizers

RD VENTURA PRO

ANESTHESIA WORKSTATION



VENTILATOR



VAPORIZER



**VENTURA PRO is a High End Anesthesia Workstation
that has an In-built Electrically and Pneumatically
Operated Ventilator.**

ANAESTHESIA VENTILATOR

7" Touch Screen Display

Modes: VC, PC, SIMV

Tidal Volume: 50-1500

Frequency: 6-40 bpm

IE Ratio: 4:1 - 1:4

PIP: 10-60 cm H₂O

ALARM: High Pressure, Low Pressure and Source Failure.

POWER SUPPLY: AC 220V

MAIN UNIT

MODE: Semi-open, Semi-closed or Closed System

FLOWMETER: 5 Tube Rotameter 2 Oxygen, 2 Nitrous and 1 Air

Changeover: Nitrous and Air

O₂ Flush: 35-75L/min

Alarm: Oxygen Failure Alarm (Audible and Visual)

Safety Valve: Protects Reverse Flow From Patient Circuit towards Vaporizer.

Cylinder Attachment: 2 Oxygen and 2 Nitrous

PIPELINE ATTACHMENT: 2 Oxygen, 1 Nitrous and 1 Air

STRUCTURE


Rust Proof Fibre body

2 Drawers with Smooth Sliding Channels

Antistatic large Castor Wheels, Front wheels with Brakes

Space for Mounting Two Vaporizers


VENTURA



VENTILATOR



VAPORIZER



**VENTURA is a High End Anesthesia Workstation
that has an In-built Electrically and Pneumatically
Operated Ventilator.**

ANAESTHESIA VENTILATOR

5" Touch Screen Display

Modes: VC, PC, SIMV+PSV and MANUAL

Tidal Volume: 50-1200

Frequency: 1-60 bpm

IE Ratio: 1:9 - 4:1

PIP: 0-60 cm H₂O

ALARM: High Pressure, Low Pressure and Source Failure.

POWER SUPPLY: AC 220V

MAIN UNIT

MODE: Semi-open, Semi-closed or Closed System

FLOWMETER: 3 Tube Rotameter 1 Oxygen, 1 Air and 1 Nitrous

O₂ Flush: 35-75L/min

Alarm: Oxygen Failure Alarm (Audible and Visual)

Safety Valve: Protects Reverse Flow From Patient Circuit towards Vaporizer.

Cylinder Attachment: 2 Oxygen and 1 Nitrous

PIPELINE ATTACHMENT: 1 Oxygen and 1 Nitrous

STRUCTURE

MS Powder Coating

2 Drawers with Smooth Sliding Channels

Antistatic large Castor Wheels, Front wheels with Brakes

Space for Mounting Two Vaporizers

VENTEX



SPECIFICATION

- Model Name/Number: Ventex
- Usage/Application: Operation Use
- Oxygen Flush: 35-70 LPM
- Cylinder Yokes: 2 Oxygen + 2 Nitrous
- Is It Portable: Portable
- Monitor Shelf: Yes
- Number Of Wheels: 4
- Automation Grade: Manual
- Gas Source: Oxygen And Nitrous
- Number Of Gas: 2
- Rotameter Tubes: 2 Tubes
- Positioning: Trolley
- Material: Powder Coated Mild Steel
- Hypoxic Guard: Yes
- 2 Huge Sliding Drawers
- Single Vaporizer Attachment
- Goldman Attachment
- Country of Origin: Made in India


VENTEX LITE



SPECIFICATION

- ModelName/Number: Ventex Lite
- Usage/Application: Operation Use
- Oxygen Flush: 35-70 LPM
- Cylinder Yokes: 2 Oxygen + 2 Nitrous
- Is It Portable: Portable
- Monitor Shelf: Yes
- Number Of Wheels: 4
- Automation Grade: Manual
- Gas Source: Oxygen And Nitrous
- Number Of Gas: 2
- Rotameter Tubes: 2 Tubes
- Positioning: Trolley
- Material: Powder Coated Mild Steel
- Hypoxic Guard: Optional
- Single Drawer
- Country of Origin: Made in India

DEXTEROUS



SPECIFICATION

- Model Name: DEXTEROUS
- Usage/Application: Operation Use
- Display Size: 7Inch Touch Screen
- Modes: CMV/VC, CMV/PC, ACV/VC, ACV/PC, SIMV/VC, SIMV/PC, Manual.
- Tidal Volume: 20-1500(ML)
- Frequency: 1-60 bpm
- IE Ratio: 1.9 - 4.1
- PIP: 0-60cm H₂O
- Alarm: High Pressure, Low Pressure, Patient Disconnect, VT High/Low, fio₂ failure/fio₂ low and Source Failure.
- Power Supply: AC 220V
- Battery Backup: Up to 2 hours
- Country of Origin: Made in India

CURE VENT 3000

ANESTHESIA VENTILATOR



SPECIFICATION

- Model Name: Anesthesia Ventilator
- Usage/Application: Operation Use
- Display Size: 7Inch Touch Screen
- Modes: VC,PC, SIMV Standby
- Tidal Volume: 50-1500(ML)
- Frequency: 6-40 bpm
- IE Ratio: 1.4 - 4.1
- PIP: 10-60cm H₂O
- Alarm: High Pressure,Low Pressure and Source Failure.
- Power Supply: AC 220V
- Battery Backup: Up to 2 hours
- Country of Origin: Made in India

ABOUT OUR ORGANISATION

A MEDICAL EQUIPMENT MANUFACTURERS. AN
HERE YOU CAN FIND BEST MEDICAL EQUIPMENTS
/ PRODUCTS. WE WILL GIVE YOU OUR MEDICAL
EQUIPMENTS SAFELY TO YOUR PLACE.



RD INTERDNATIONAL

LGF-59, COMMERCIAL COMPLEX, DEVIKATOWER
CHANDER NAGAR, SAHIBABAD, GHAZIABAD
UTTAR PRADESH – 201010 EMAIL :
info@rdinternational.co.in